



Effect of Aerobics on Cardio Vascular Endurance and Speed Endurance among Women Volleyball Players

V. Vimala¹ & Dr. R. Subramanian²

¹Research Scholar, Department of Physical Education, Annamalai University, Tamilnadu, India.

²Assistant Professor, Department of Physical Education, Annamalai University, Tamilnadu, India.

Received 8th August 2020, Accepted 10th September 2020

Abstract

The purpose of the study was designed to examine the effect of aerobics on cardio vascular endurance and speed endurance of college women volleyball players. For the purpose of the study, thirty women players from the Department of Physical Education, Annamalai University were selected as subjects. They were divided into two equal groups. Each group consisted of the fifteen subjects. Group I underwent aerobics for three days per week for twelve weeks. Group II acted as control who did not undergo any special training programme apart from their regular physical education programme. The following variables namely cardio vascular endurance and speed endurance were selected as criterion variables. All the subjects of two groups were tested on selected dependent variables at prior to and immediately after the training programme. The analysis of covariance was used to analyze the significant difference, if any among the groups. The .05 level of confidence was fixed as the level of significance to test the 'F' ratio obtained by the analysis of covariance, which was considered as an appropriate. The results of the study showed that there was a significant difference between aerobics group and control group on cardio vascular endurance and speed endurance. And also it was found that there was a significant change on selected criterion variables such as cardio vascular endurance and speed endurance due to alternate pace running.

Keywords: Aerobics, Cardio Vascular Endurance, Volleyball.

© Copy Right, IJRRAS, 2020. All Rights Reserved.

Introduction

Sports training is a scientifically based and pedagogically organized process which through planned and systematic effect on performance ability and performance readiness aims at sports perfection and performance improvement as at the contest in sports competition. J.P. Thomas says that "physical education is education through physical activities for the development of total personality of the child and its fulfillment and perfection in body mind and spirit".

Methodology

The purpose of the study was designed to examine the effect of aerobics on cardio vascular endurance and speed endurance of college women volleyball players. For the purpose of the study, thirty women players from the Department of Physical Education, Annamalai University were selected as subjects. They were divided into two equal groups. Each group consisted of the fifteen subjects. Group I underwent aerobics for three days per week for twelve weeks. Group II acted as control who did not undergo

any special training programme apart from their regular physical education programme. The following variables namely cardio vascular endurance and speed endurance were selected as criterion variables. All the subjects of two groups were tested on selected dependent variables at prior to and immediately after the training programme. The analysis of covariance was used to analyze the significant difference, if any among the groups. The .05 level of confidence was fixed as the level of significance to test the 'F' ratio obtained by the analysis of covariance, which was considered as an appropriate.

Analysis of the Data

Cardio Vascular Endurance

The analysis of covariance on cardio vascular endurance of the pre and post test scores of aerobics group and control group have been analyzed and presented in Table I.

Correspondence

Dr.R.Subramanian

Annamalai University

Table 1. Analysis of covariance of the data on cardio vascular endurance of pre and post tests scores of aerobics and control groups

Test	Aerobics group	Control Group	Source of Variance	Sum of Squares	df	Mean Squares	Obtained 'F' Ratio
Pre Test							
Mean	1539.67	1541	Between	0.3	1	0.3	0.412
S.D.	20.04	20.99	Within	20.4	28	0.729	
Post Test							
Mean	1550	1542.3	Between	17.63	1	17.63	21.39*
S.D.	20.25	22.20	Within	23.07	28	0.824	
Adjusted Post Test							
Mean	1549.3	1540.33	Between	22.11	1	22.11	172.73*
			Within	3.46	27	0.128	

* Significant at .05 level of confidence.

(The table values required for significance at .05 level of confidence for 2 and 28 and 2 and 27 are 3.34 and 3.35 respectively).

The table 1 shows that the adjusted post-test means of aerobics group and control group are 1549.3 and 1540.33 respectively. The obtained "F" ratio of 172.73 for adjusted post-test means is more than the table value of 3.35 for df 1 and 27 required for significance at .05 level of confidence on cardio vascular endurance.

The results of the study indicated that there was a significant difference between the adjusted post-test

means of aerobics group and control group on cardio vascular endurance.

Speed Endurance

The analysis of covariance on speed endurance of the pre and post test scores of aerobics group and control group have been analyzed and presented in Table 2.

Table 2. Analysis of covariance of the data on speed endurance of pre and post tests scores of aerobics and control groups

Test	Aerobics group	Control Group	Source of Variance	Sum of Squares	df	Mean Squares	Obtained 'F' Ratio
Pre Test							
Mean	16.21	16.32	Between	0.004	1	0.004	0.032
S.D.	0.35	0.33	Within	3.52	28	0.125	
Post Test							
Mean	15.92	16.31	Between	119.56	1	119.56	52.67*
S.D.	0.38	0.33	Within	63.56	28	2.27	
Adjusted Post Test							
Mean	15.84	16.30	Between	117.69	1	117.69	37.48*
			Within	84.72	27	3.14	

* Significant at .05 level of confidence.

(The table values required for significance at .05 level of confidence for 2 and 28 and 2 and 27 are 3.34 and 3.35 respectively).

The table 2 shows that the adjusted post-test means of aerobics group and control group are 15.84 and 16.30 respectively. The obtained "F" ratio of 37.48 for adjusted post-test means is more than the table value of 3.35 for df 1 and 27 required for significance at .05 level of confidence on speed endurance.

The results of the study indicated that there was a significant difference between the adjusted post-test means of aerobics group and control group on speed endurance.

Conclusions

1. There was a significant difference between aerobics group and control group on cardio vascular endurance and speed endurance.
2. And also it was found that there was a significant improvement on selected criterion variables such as cardio vascular endurance and speed endurance due to alternate pace running.

References

1. American Heritage(2000), *Dictionary of the English Language*, (4th Edn) Houghton Mifflin Company.
2. Barry Johnson L. and Jack K. Nelson(1982), *Practical Measurement of Evaluation in Physical Education (3ed)*, Delhi: Surjeet Publications, pp.40-42.
3. Brukner, P.& Khan, K. (1993),*Clinical Sports Medicine*. Sydney: McGraw-Hill.
4. Dan Wathen (1994), “Periodisation: Concepts and Application” as cited by Thomas R. Baechle., *Essentials of Strength Training and Conditioning*, Champaign: Human Kinetics, P.460.
5. Don Cash Seaton(1983), *Physical Education Hand Book*, Englewood Cliffs: Prentice Hall International, p.40
6. Edward L. Fox and Donald K. Mathews(1981), *The Physiological Basis of Physical Education and Athletics (3rd ed)*, Philadelphia: Mosby College Publishing, p.184.
7. Tudor O. Bompa(1999), “*Periodization: Theory and Methodology of Training*” (4th edn.)” Champaign, Illinois: Human Kinetics Publishers, p.210.
8. Voight Micheal L. and Peter Draovitch(1991), “Plyometrics”, as cited in Mark Albert., *Eccentric Muscle Training in Sports and Orthopaedics*, New York: Churchill Livingstone, Ch.V